

ALTERATIONS TO THE CENSUS OF NEW SOUTH WALES PLANTS

S. W. L. JACOBS & L. LAPINPURO

(Accepted for publication 11.4.1984)

ABSTRACT

Jacobs, S. W. L. & Lapinpuro, L. (National Herbarium of New South Wales, Royal Botanic Gardens, Sydney, Australia 2000) 1986. Alterations to the Census of New South Wales plants. *Telopea* 2(6): 705–714 — Corrections and additions are made to Jacobs & Pickard, *Plants of New South Wales*, (1981) to update the information presented in that publication.

INTRODUCTION

Future corrections and additions were forecast in the original publication of a census of New South Wales plants (Jacobs & Pickard 1981). This present paper is the first attempt to update the information.

The alterations are mainly concerned with information for New South Wales, the principal concern of the Census, and corrections for extra-New South Wales distributions are only made where alterations are being made to the New South Wales information.

Alterations have been incorporated where we have been notified, through the taxonomic botanist responsible for the curation of the family, of any taxonomic or geographic inaccuracies. While geographic alterations tend to flow through fairly rapidly, there is usually some delay before a taxonomic treatment is evaluated by the taxonomist curating the group and its acceptance communicated. The length of these delays is quite variable, even for one botanist. Thus the omission of any taxonomic treatment in these alterations is in no way a comment by us to its acceptance and adoption by our institution.

The same abbreviations are used as in the original publications. As before, the arrangement is alphabetical with monocotyledons preceding dicotyledons. Deletion of the entry for a family or genus implies deletion of all names included therein.

In accordance with a recent change in the International Code of Botanical Nomenclature, epithets ending in ‘-eranus’, ‘-erana’ and ‘-eranum’ should be altered to ‘-erianus’, ‘-eriana’ and ‘-erianum’ respectively, e.g. *hookerianus*, *forsteriana*, *billardierianum*.

ACKNOWLEDGMENTS

We wish to thank our colleagues at the National Herbarium who have kept us fed with alterations; in particular we would like to thank Teresa James, Marie Taylor, Karen Wilson and Joy Everett. We would also like to thank Bill

Mulham for drawing our attention to many extensions of range in the south-western areas of the State, and Dr J. H. Willis for his helpful list of corrections.

REFERENCE

Jacobs, S. W. L. & Pickard, J. (1981). 'Plants of New South Wales' (Govt Printer: Sydney).

ALTERATIONS AND ADDITIONS

ALLIACEAE

Allium

add: **A. neapolitanum* Cyrillo; [†]CWS, [†]SWS; .S; Medit

AMARYLLIDACEAE

delete *Euryclisia* Salisb. and replace by:
PROIPHYS Lindl.

P. cunninghamii (Lindl.) Mabbey

CENTROLEPIDACEAE

Centrolepis

C. polygyna add: SWP

C. strigosa add: SWP

CYPERACEAE

Baumea

delete: *B. sp. C* and replace by:
B. johnsonii K. L. Wilson

add: BOLBOSCHOENUS (Aschers.) Palla
B. caldwellii (V. J. Cook) Soják; NC, CC, SC,
ST, CWS, SWS, NWP; VTSW; NZ
[*Scirpus caldwellii* V. J. Cook]

B. fluvialis (Torrey) Soják; NC, CC, SC; Q;
NZ, Asia, N Amer
[*Scirpus maritimus* L. var. *fluvialis* Torrey,
S. fluvialis (Torrey) A. Gray]
B. medianus (V. J. Cook) Soják; CC, NT, ST,
CWS, NWP, SFWP; VTS; NZ, NG
[*Scirpus medianus* V. J. Cook]

Carex

delete: *C. curta* Good. and replace by:
C. canescens L.
[*C. curta* Good.]

Caustis

C. flexuosa add: NC

Cyperus

C. compressus add: [†]NC

add: [†]*C. dubius* Rottb.; [†]NC; trop, S Afr
[*Mariscus dubius* (Rottb.) Küenthal ex Fischer]

C. eragrostis add: [†]NWS

C. exaltatus add: SFWP

C. gunnii add: NT

C. polystachyos add: ?*

C. sanguinolentus add: CWS, SWS

C. tenellus add: ??*, SWP

C. unioloides add: NC, ?ST

Fimbristylis

F. nutans add: CC

Gahnia

G. radula add: NC

add: ISOLEPIS R.Br.

I. aucklandica Hook. f.; NT, ST; QVT; NG,
NZ
[*Scirpus aucklandicus* (Hook. f.) Boeck.]

I. australiensis (Maiden & Betche) K. L.
Wilson; NT, CT, CWS, NWP, NFWP;
QVYS; ?NZ
[*Scirpus cernuus* var. *australiensis* Maiden &
S. australiensis (Maiden & Betche)
S. T. Blake, *S. multicaulis* F. Muell. non Sm.
nec Gimel, nec Schleidl.]

I. cernua (Vahl) Roem. & Schult.; NC, CC, SC,
CT, ST, CWS; QVTSW; cosmop
[*Scirpus cernuus* Vahl, *S. psammophilus* S.
T. Blake]

I. congrua Nees; CWS, NWP, SWP, NFWP;
VYSW

[*Scirpus congrua* (Nees) S. T. Blake,
S. kochii Maiden & Betche]

I. crassiuscula Hook. f.; NT, ST; QVT; NG,
NZ, Japan

[*Scirpus crassiusculus* (Hook. f.) Benth.,
Eleogiton crassiusculus (Hook. f.) Soják]

I. fluitans (L.) R. Br.; CC, SC, NT, ST; VTSW;
Eur, Afr, Asia, NZ

[*Scirpus fluitans* L., *S. lenticularis* Poir.]

I. habra (E. Edgar) Soják; NT, CT, ST, SWS;
VT; NZ; ?NG

[*Scirpus habrus* E. Edgar]

I. hookeriana Boeck.; CC, NT, CT, ST, NWS,
SWS, NWP, SWP; QVTSW; NZ

[*Scirpus hookerianus* (Boeck.) S. T. Blake, *S. colocarpus* S. T. Blake, *S. setaccus* auct.
austr. non L.]

**I. hystric* (Thunb.) Nees; [†]SWP; V; S Afr
[*Scirpus hystris* Thunb.]

I. inundata R. Br.; NC, CC, SC, NT, CT, ST,
SWS; QVTSW; S Amer, Malesia

[*Scirpus inundatus* (R. Br.) Poir. *S.*
inundatus var. *floribundus* Benth., *S.*
inundatus f. *urvillei* (Boeck.) Küenthal]

I. marginata (Thunb.) A. Dietr.; CC, CT, ST,
CWS, SWP, SFWP, VTSW; NZ, S Afr

[*Scirpus marginatus* Thunb., *S. antarcticus*
auct. non L., *S. cartilagineus* (R. Br.) Poir.]

I. montivaga (S. T. Blake) K. L. Wilson; ST; V

[*Scirpus montivagus* S. T. Blake]

I. nodosa (Rottb.) R. Br.; LHI, NC, CC, SC;

QVTSW; temp S hemi

[*Scirpus nodosus* Rottb., *Holoschoenus*

nodosus (Rottb.) A. Dietr.]

I. platycarpa (S. T. Blake) Soják; CC, ST, SWS;

VTSW; NZ

[*Scirpus platycarpus* S. T. Blake]

- I. producta** (C. B. Clarke) K. L. Wilson; SC;
VTS
[*Scirpus productus* C. B. Clarke]
***I. prolifera** (Rottb.) R. Br.; ^tCC, ^tSC, ^tCT;
?VW; S Afr, NZ
[*Scirpus prolifer* Rottb.]
***I. sepalularis** Steud.; ^tNC, ^tCC; S Afr, NZ
[*Scirpus chlorostachyus* Levyns, S. sp. sensu
Jacobs & Pickard]
I. stellata (C. B. Clarke) K. L. Wilson; ?^tCC;
VTSW
[*Scirpus stellatus* C. B. Clarke]
I. subtilissima Boeck.; NC, SC, NT, CT; QVT;
Malesia, NZ
[*Scirpus subtilissimus* (Boeck.) S. T. Blake,
S. merrillii (Palla) Küenthal ex Merr.]
I. victoriensis (N. A. Wakef.) K. L. Wilson;
CWS, SWS, SWP; V?S
[*Scirpus victoriensis* N. A. Wakef.]

Lipocarpha
L. microcephala add: NC
[*Rikliella australiensis* J. Raynal, *Scirpus*
squarrosum L. var. *dietrichiae* (Bockk.)
Benth.]
delete: *Rikliella*
add: **SCHOENOPLECTUS** Palla
S. dissachanthus (S. T. Blake) J. Raynal;
NWP, SWP; QVYSW
[*Scirpus dissachanthus* S. T. Blake]
***S. erectus** (Poir.) Palla ex J. Raynal; ^tCC,
^tNWP; QV; Afr
[*Scirpus raynalii* Schuyler, *Scirpus lateri-*
florus Gmel. misappl., *Scirpus supinus* L.
misappl.]
S. laevis (S. T. Blake) J. Raynal; NWP; QYW
[*Scirpus laevis* S. T. Blakc]
***S. lineolatus** (Franch. & Sav.) T. Koyama;
^tCC; V; Japan
[*Scirpus lineolatus* Franch. & Sav., *Scirpus*
forsythii Küenthal]
?*S. littoralis (Schrad.) Palla; NC, CC;
QYSW; Eur, Asia
[*Scirpus littoralis* Schrad.]
S. mucronatus (L.) Palla ex Kerner; NC, CC,
NT, NWS; QYW; Eur, Asia
[*Scirpus mucronatus* L.]
S. pungens (Vahl) Palla; ST, CWS, SWS; VTS;
Eur, Amer, NZ
[*Scirpus pungens* Vahl, *Scirpus americanus*
auct. non Pers.]
S. validus (Vahl) A. Löve & D. Lövc; NC, CC,
SC, NT, ST, NWS, SWS, NWP, SFWP;
QVTSW; Amer, NZ, N Caled
[*Scirpus validus* Vahl, *Scirpus lacustris* auct.
austr. non L.]

Scirpus
delete: all species except *S. polystachyus*
F. Muell.

Scleria
S. mackaviensis add: CT
add: **TRACHYSTYLIS** S. T. Blake
T. stradbrokensis (Domin) Küenthal; NC; Q

HYPOXIDACEAE
Hypoxis
delete: *H. pusilla* Hook. f. and replace by:
H. hookeri Geerink
[*H. pusilla* Hook. f.]

- IRIDACEAE**
add: ***ANOMATHECA** Ker Gawler
***A. laxa** (Thunb.) Goldblatt; ^tCC; S Afr
[*Lapcirousia laxa* (Thunb.) N.E.Br.]
correct to: *Diplarréna*
Gladiolus
add: ***G. angustus** L.; ^tCC; S Afr
***G. carneus** D'laroche; ^tCC; S Afr
delete: *G. x colvillei*
Homeria
add: ***H. collina** (Thunb.) Salisb.; ^tNC, ^tCC,
^tSC, ^tSWS; W; S Afr
H. flaccida delete: NC, SWS, SWP
H. minita delete: CC; add: SWP
add: ***H. ochroleuca** Salisb.; ^tCC, ^tSWS, ^tSWP;
S; S Afr
Ixia
change *I. columellaris* to:
***I. polystachya** L.; ^tCC; S Afr
[*I. columellaris* Ker Gawler misappl.]
delete: *Lapeironia*
Sisyrinchium
S. micranthum add: ^tNWS
Watsonia
delete: *W. angusta* and replace by:
***W. bulbillifera** J. Mathews & L. Bolus
[*W. angusta* Ker Gawler misappl.]

JUNCACEAE
Juncus
J. acutus add: ^tCWS

JUNCAGINACEAE
Triglochin
T. calcitrapa add: SFWP

LILIACEAE
delete: *Anguillaria*
Thysanotus
T. baueri add: SFWP
add: **WURMBEA** Thunb.
W. biglandulosa (R. Br.) Macfarlane; NC, SC,
NT, ST, NWS, CWS, SWS, NWP; V
[*Anguillaria biglandulosa* R. Br.]
W. dioica (R. Br.) F. Muell.
[*Anguillaria dioica* R. Br.]
ssp. *dioica*; CC, NT, CT, ST, NWS, CWS,
SWS, NWP, SWP, NFWP; QVTSW
W. latifolia Macfarlane; ST, CWS, SWS; VS
W. uniflora (R. Br.) Macfarlane; SC
[*Anguillaria uniflora* R. Br.]

ORCHIDACEAE
Dipodium
D. hamiltonianum add: SWS; V

POACEAE
Amphibromus
replace all species by:
A. fluitans Kirk; SWS, SWP; V; NZ
[*A. gracilis* P. F. Morris]
A. macrorhinus S. Jacobs & Lapinpuro; SWS,
SWP; VTS
A. nervosa (J. D. Hooker) Druce; CC, NT,
CT, ST, NWS, CWS, SWS, NWP,
SWP, SFWP; VTSW
[*A. ncessii* auct. non Steud.]

- *A. pithogastrus* S. Jacobs & Lapinpuro; NT, CT, ST, SWS; V
[*A.* sp. A sensu Jacobs & Pickard]
- A. sinuatus* S. Jacobs & Lapinpuro; NT; V
- Andropogon*
- A. virginicus* add: †CWS
- Bromus*
- delete: **B. unioloides* Kunth and replace by:
**B. catharticus* Vahl
[*B. unioloides* Kunth, *B. willdenowii* Kunth]
- Chionochloa*
- add: *C. pallida* (R. Br.) S. Jacobs; NC, CC, SC, NT, CT, ST, NWS, CWS, SWS, SWP; V
[*Danthonia pallida* R. Br., *Notodanthonia pallida* (R. Br.) Veldkamp]
- Danthonia*
- delete: *D. pallida* R. Br.
- Eleusine*
- E. indica* add: †NWS, †SWP
- add: **HAINARDIA* Greuter
- **H. cylindrica* (Willd.) Greuter; †LHI, †NC, †CC, †ST, †NWS, †CWS, †SWS, †NWP, †SWP; VT; Eur, Amer
[*Monerma cylindrica* (Willd.) Cosson & Durieu]
- Homopholis*
- H. belsonii* delete: NWP; add: NWS
- Hordeum*
- H. leporinum* add: †NT, †CT, †CWS
- Koeleria*
- replace: *K. cristata* by:
K. maerantha (Ledeb.) Schultes
[*K. cristata* (L.) Pers.]
- Lophochloa*
- L. cristata* correct to: Hylander
- Microlaena*
- M. stipoides* var. *stipoides* add: LHI
- delete: *Monerma*
- Panicum*
- P. coloratum* var. *makarikariense* add: †NC
- P. effusum* add: SFWP
- Paspalum*
- P. distichum* change synonymy to:
[*P. paspalodes* (Michx.) Scribn.];
change distribution to: LHI, NC, CC, NT, CT, ST, NWS, CWS, NWP, SWP, NFWP; QYYSW; trop, subtrop
- P. notatum* add: †NWS
- delete: *P. paspalodes*
- add: *P. vaginatum* Sw.; LHI, NC, CC, SC, CWS; QYW; trop, subtrop
[*P. littorale* R.Br.]
- correct to: *Pentaschistis*
- P. airoides* add: †SWP
- Phalaris*
- P. paradoxa* add: †NFWP
- Spinifex*
- replace: *S. hirsutus* by:
S. sericeus R.Br.; LHI, NC, CC, SC; QVTS; NZ, N Caled
[*S. hirsutus* auct. non Labill.]
- Stipa*
- This genus is still under revision.

- Triraphis*
- T. mollis* add: CWS
- POTAMOGETONACEAE
- Potamogeton*
- P. ochreatus* add: NWS
- add: *RUPPIA* L.
- R. maritima* L.; NC, SC, SWP, QVYSW; Eur
- R. megacarpa* R. Mason; NC, CC, SC, ST, SWP, VWS; NZ
[*R. spiralis* auct. non L. ex Dumort.,
R. cirrhosa auct. non (Petagna) Grande]
- R. polycarpa* R. Mason; CC, SC; VTSW; NZ
[*R. spiralis* auct. non L. ex Dumort,
R. cirrhosa auct. non (Petagna) Grande]
- delete: *RUPPIACEAE*
- XANTHORRHOEACEAE
- Xanthorrhoea*
- X. australis* ssp. *australis* (western form) add:
SWP
- X. johnsonii*
- delete: ssp. *fulva*
- delete: ssp. *johnsonii*
- X. minor* add: ST; VTS; delete: Q
- AIZOACEAE
- delete: *Aizoon*
- Glinus*
- G. oppositifolia* add: SFWP
- add: *GUNNIOPSIS* Pax
- G. quadrifida* (F. Muell.) Pax; NFWP; QYSW
[*Aizoon quadrifidum* (F. Muell.) F. Muell.]
- G. papillata* Chinnock; NFWP; QYS
[*Aizoon zygophylloides* F. Muell. misappl.]
- G. scutifraga* (F. Muell.) Chinnock; NFWP,
SWP; YSW
[*Neogunnia septifraga* (F. Muell.) Pax & K. Hoffm.]
- Mollugo*
- M. verticillata* add: NWS
- delete: *Neogunnia*
- AMARANTHACEAE
- Aethanthera*
- A. angustifolia* add: SWP
- A. nana* add: CWS
- Amaranthus*
- add: **A. cruentus* L.; †CC, †SWS; Eur, Amer
A. retroflexus add: †NWS
- Ptilotus*
- add: *P. extenuatus* Benl; SWP
- APIACEAE
- Apium*
- add: **A. graveolens* L.; †CC, †SWP; Y; Eur,
Asia, Afr, Amer
- Hydrocotyle*
- H. laxiflora* add: SWP
- APOCYNACEAE
- Alstonia*
- A. constricta*
- 'pubescent' form add: CWS
- Alyxia*
- A. ruscifolia* add: CC

ASCLEPIADACEAE

*Tylophora**T. grandiflora* add: CWS

ASTERACEAE

*Actites**A. megalocarpa* add: LHI*Ambrosia**A. tenuifolia* add: NFWP*Angianthus*delete: *A. pusillus*correct *Artemisia* to *Artemisia**A. arborescens* add: †SWP*Baccharis**B. halimifolia* add: *CC*Bidens**B. pilosa* add: NT*B. subalternans* add: SWP*Brachycome**B. campylocarpa* add: NFWP

GEN. NOV. change to: CAMPTACRA N.

Burb.

C. sp. change to: *C. brachycomoides* (F. Muell.)
N. Burb.; add: Yadd: *C. barbata* N. Burb.; NWS; Q*Carthamus**C. tinctorius* add: †CT

add: CHRYSOCORYNE Endl.

C. pusilla (Benth.) Endl.; NWS, NWP, SWP,
NFWP, SFWP; QVYSW
[*Angianthus pusillus* (Benth.) Benth.]*Cratystylis*change to: *C. conocephala*; SFWP*Galinsoga**G. parviflora* add: †SWP*Gnaphalium*add: **G. coareatum* Willd.; †LHI, †NC, †CC,
†SC, †NT, †NWS, †CWS, †SWS; QV; Amer
[*G. spicatum* Lamk.]delete: *G. candidissimum**G. indutum* add: ?SWPdelete: *G. luteo-album*delete: *G. spicatum**Helianthus**H. annuus* add: †ST*Helichrysum*add: *H. whitei* N. Burb.; NC; Q*Helipterum**H. strictum* add: NWS*Hypochoeris**H. glabra* add: †NFWP*Olearia**O. calcarea* add: SFWP*O. rудis* var. *rудis* add: SFWP*O. subspicata* add: NFWP*Onopordum**O. acaulon* add: †NFWP

add: PARTHENIUM L.

P. hysterophorus L.; NWP; Q; Amer, Afr, NZ,

N' Caled

*Pieris**P. hieracioides*change to: ssp. *hieracioides*add: PSEUDOOGNAPHALIUM Kirpichnikov
P. luteoalbum (L.) Hilliard & Burtt; LHI, NC,
CC, SC, NT, CT, ST, NWS, CWS, SWS,
NWP, SWP, NFWP, SFWP; QVTYSW
[*Gnaphalium luteo-album* L.]*Senecio**S. cunninghamii* add: STadd: *S. georgianus* DC.; STdelete: *S. sp.* Gdelete: *S. sp.* K

Previous record not substantiated

delete: *S. georgianus**Soliva**S. stolonifera* add: †SWP*Sonchus**S. asper* ssp. *glaucescens* add: †NFWP*Tolpis**T. umbellata* add: †NC

add: *UROSPERMUM Seop.

**U. picroides* (L.) Scop. ex F. W. Schmidt;
SWP; VS; Meditadd: *VELLEREOPHYTON Hilliard &
Burtt**V. dealbatum* (Thunb.) Hilliard & Burtt; †CC;
VTS; S Afr
[*Gnaphalium candidissimum* Lamk.]*Vittadinia*add: *V. arida* N. Burb.; NFWP; QYSW

V. sp. A change to:

V. *cervicularis* N. Burb.var. A change to: var. *cervicularis*
var. B change to: var. *subcervicularis* N.
Burb.

delete: f. a, f. b

V. sp. B change to:

V. *condyloides* N. Burb.V. *cuneata*var. A change to: var. *cuneata*
f. a change to: f. minorf. b change to: f. *cuneata*var. B change to: var. *hirsuta* N. Burb.var. C change to: var. *morisii* N. Burb.

V. sp. C change to:

V. *dissecta* N. Burb.var. A change to: var. *dissecta*var. B and var. C change to: var. *hirta* N.
Burb.

V. sp. D change to:

V. *eremaea* N. Burb.

V. sp. E change to:

V. *gracilis* N. Burb.

V. sp. F change to:

V. *sulcata* N. Burb.V. *hispidula*var. *hispidula* change to: var. *setosa* N. Burb.var. A change to: var. *hispidula*

V. sp. G change to:

V. *muelleri* N. Burb.

V. sp. H change to:

V. *pustulata* N. Burb.

BORAGINACEAE

add: *NEATOSTEMA I. M. Johnston

**N. apulum* (L.) I. M. Johnston; †SFWP; S;
Medit

BRASSICACEAE

Lepidium
L. campestre add: †SC

CABOMBACEAE

add: **CABOMBA* Aubl.

**C. caroliniana* Gray; †NC, †CC; Amer

CACTACEAE

add: **ERIOCEREUS* (A. Berger) Riceob.

**E. martinii* (Labouret) Riceob.; †NWP; Amer

**E. tortuosus* (J. Forbes ex Otto & A. Dietr.)
Riceob.; †CWS; Amer

Opuntia

O. aurantiaca add: †CC

CAESALPINIACEAE change to: subfamily
Caesalpinoideae (of FABACEAE)

add: **DELONIX* Raf.

**D. regia* (Bojer) Rafin.; †NWP; Asia, Pae I

CALLITRICHACEAE

add: *C. eyeloearpa* Hegelm.; SWP; V

C. stagnalis add: NFWP

CARYOPHYLLACEAE

Silene

delete: *S. alba*

add: **S. pratensis* (Rafn) Godron & Gren.;
†NC, †CC, †SC, †NT, †CT, †ST; VTS;

Eur, W Asia

[*S. alba* (Miller) E. H. L. Krause, *Lychnis
alba* Miller]

Spergula

S. arvensis add: †SWP

add: **S. pentandra* L.; †SWP; V; Eur

CASUARINACEAE

add: *ALLOCASUARINA* L. A. S. Johnson
A. distyla (Vent.) L. A. S. Johnson; NC, CC,
SC, CT, ST
[*C. distyla* Vent.]

A. inophloia (F. Muell. & F. M. Bail.)
L. A. S. Johnson; NWS; Q
[*C. inophloia* F. Muell. & F. M. Bail.]

A. littoralis (Salisb.) L. A. S. Johnson; NC, CC,
SC, NT, CT, ST, NWS, CWS, NWP; QVT
[*C. littoralis* Salisb.]

A. luehmannii (R. T. Baker) L. A. S. Johnson;
NC, NT, ST, NWS, CWS, SWS, NWP,
SWP, SFWP; QVS
[*C. luehmannii* R. T. Baker]

A. nana (Sieber ex Spreng.) L. A. S. Johnson;
CC, SC, CT, ST; V
[*C. nana* Sieber ex Spreng.]

A. paludosa (Sieber ex Spreng.) L. A. S.
Johnson; CC, SC, CT, ST; VTS
[*C. paludosa* Sieber ex Spreng.]

A. rigida (Miq.) L. A. S. Johnson; NC, NT,
NWS; Q
[*C. rigida* Miq.]

A. torulosa (Ait.) L. A. S. Johnson; NC, CC,
SC, NT, CT, NWS, CWS; Q
[*C. torulosa* Ait.]

A. verticillata (Lamk.) L. A. S. Johnson; CC,
SC, CT, ST, CWS, SWS, SWP, VTS
[*C. verticillata* Lamk., *C. stricta* Ait.]

CASUARINA

C. cunninghamiana ssp. *cunninghamiana*

delete: NG

delete: *C. distyla*

delete: *C. inophloia*

delete: *C. littoralis*

delete: *C. luehmannii*

delete: *C. nana*

delete: *C. paludosa*

delete: *C. rigida*

delete: *C. stricta*

delete: *C. torulosa*

CHENOPODIACEAE

Atriplex

add: *A. nessorhina* S. Jacobs; NFWP; Q?YS

[*A. sp.* C sensu Jacobs & Pickard]

A. pseudocampanulata add: SFWP

add: *A. sturtii* S. Jacobs; NFWP; QYS

[*A. leptocarpa* f. *minor* R. H. Anderson, *A.
sp.* A sensu Jacobs & Pickard]

Chenopodium

C. ambrosioides add: †CWS

C. carinatum add: CT

Enchyliena

E. tomentosa form a add: SWP

Halosarcia

add: *H. haloenemoides* (Nees) P. G. Wilson
ssp. *longispicata* P. G. Wilson; ? NFWP; QYS

H. pergranulata ssp. *pergranulata* add: SWP

add: ssp. *divaricata* P. G. Wilson; NWP,
NFWP; QVS

add: *H. pluriflora* P. G. Wilson; NWP; S

Maireana

add: *M. rohrlachii* (P. G. Wilson) P. G.
Wilson; SWP; S

Pachycornia

P. triandra add: NWP

Salsola

S. kali var. *kali* add: NC, ST; Eur

Sclerolaena

S. muricata

add: var. *murieata*; †CC, NWS, CWS, NWP,
SWP, NFWP, SFWP; QVYS

Suaeda

S. sp. A change to: **S. baecifera* Pallas add:
†SFWP

CONVOLVULACEAE

Cuscuta

C. campestris add: †NFWP

add: **C. raeemosa* Mart.; †ST; V; Amer

CUNONIACEAE

delete: *Ackama*

add: *ACROPHYLLUM* Benth.

A. australre (A. Cunn.) Hoogl.; CT

[*A. venosum* Benth., *Calycomis australis* (A.
Cunn.) Hoogl.]

add: *CALDCLUVIA* D. Don

C. paniculosa (F. Muell.) Hoogl.; NC, CC; Q

[*Weinmannia paniculosa* F. Muell., *W.
paniculata* F. Muell., *Ackama muelleri*

Benth., *A. paniculata* var. *hirsuta* Maiden &

Betehe, *A. hirsuta* (Maiden & Betehe) Cheel.]

delete: *Calycomis*

DILLENIACEAE

*Hibbertia***add:** *H. procumbens* (Labill.) DC.; CC[*H. angustifolia* Salisb.]*H. sericea* add: NWP; T

ELATINACEAE

*Bergia***add:** *B. perennis* (F. Muell.) F. Muell. ex Benth. form A; NFWP; Y

EPACRIDACEAE

*Leucopogon**L. microphyllus* var. *pilibundus* add: CT

EUPHORBIACEAE

*Euphorbia**E. dentata* add: †CWS*Phyllanthus**P. maderaspacanum* add: NWS*P. tenellus* add: †CT

EUPOMATIACEAE

*Eupomatia**E. laurina* delete: NWS

FABACEAE

Fabaceae, Caesalpiniaceae and Mimosaceae as treated here should be reduced to sub-families Faboideae, Caesalpinoideae and Mimoideae of the family FABACEAE.
add: *ABRUS* Adans.

A. precatorius L.; NC; QY; Asia, Pae I*Bossiaea***add:** *B. oligosperma* A. Lee; CC*Crotalaria***add:** **C. grahamiana*; add: †NC; India*Dillwynia***add:** *D. cinerascens* R. Br.; SWP; VTSW*Jacksonia***add:** *J. turnerana* Domin; NWP; Q**add:** *LABLAB* Adans.*L. purpureus* (L.) Sweet; NC; India
[*Dolichos lablab* L.]*Lupinus***add:** *L. cosentini* add: †NC*Macroptilium***add:** **M. atropurpureum* (DC.) Urban; †NC,
†CC; Q; C Amer, Afr
[*Phaseolus atropurpureus* DC.]**add:** **MACROTYLOMA* (R. Wight & Arnott)
Verdcourt***M. axillare** (E. Mey.) Verdcourt; †NC; Afr
[*Dolichos axillaris* E. Mey.]*Psoralea***add:** *P. pallida* N. Burb.; NWP, SWP, NFWP,
SFWP; QVYS
[*P. sp. (aff. patens)* sensu Jacobs & Pickard]*Pultenaea**P. ferruginea* var. *deanei* add: SC*P. vrolandii* add: SWS*Sesbania**S. cannabina* var. *cannabina* add: NWS*Tephrosia**T. grandiflora* add: †SC*Trifolium**T. alexandrinum* add: †NC, †CC, †NWS*T. fragiferum* add: *SWP

FLACOURTIACEAE

add: *DOVYALIS* E. Mey.***D. caffra** Warb.; †CC; S Afr*Xylosma***add:** *X. terrae-reginae* White & Sleumer;
NC; Q

FRANKENIACEAE

*Frankenia***add:** *F. crispa* J. M. Black; SFWP; VS

GERANIACEAE

*Geranium**G. homeanum* add: NT, ST, NWS*G. neglectum* add: SC

GOODENIACEAE

*Goodenia**G. elongata* add: SWS*G. varia* add: ?SWP

GYROSTEMONACEAE

*Codonocarpus***correct to:** *C. colnifolius**Gyrostemon**G. australasicus* **correct to:** (Moq.) Heimerl

HYPERICACEAE

*Hypericum**H. japonicum* add: SWS

LAMIACEAE

*Mentha**M. pulegium* add: †NC*Plectranthus***add:** *P. apreptus* S. T. Blake; NC; Q**add:** *P. argentatus* S. T. Blake; NC; Q*Prostanthera***add:** *P. cruciiflora* J. H. Willis; NWS, NT*Salvia**S. reflexa* add: †SC*S. verbenaca* add: †CC

LAURACEAE

*Beilschmiedia**B. obtusifolia* change authors to: (F. Muell. ex Meisn.) F. Muell.*Cassythia**C. glabella* delete: CT*C. melantha* delete: NWP**delete:** *C. paniculata***delete:** *C. phaeolasia***add:** *C. racemosa* Nees; NC; Q

LORANTHACEAE

*Muellerina**M. eucalyptoides* add: SWS

MALVACEAE

*Anoda***add:** *A. cristata* add: †NWP*Malva**M. nicaeensis* add: †SWS, †?SWP*Malvastrum*

M. coromandelianum add: CC

MENISPERMACEAE
delete: *Fawcettia*

add: PLEOGYNE Miers
P. australis Benth.; NC; QW

Tinospora

add: *T. tinosporoides* (F. Muell.) Forman;
NC; Q
[*Fawcettia tinosporoides* F. Muell.]

MIMOSACEAE

To be treated as the subfamily Mimosoideae of
the family FABACEAE

Acacia

A. decora add: SWP
A. falcata add: CWS; delete SWS
A. juncifolia var. *planifolia* add: NT
add: *A. melvillei* Pedley; SFWP
A. paradoxa add: SWP
A. pravissima add: SC
A. wilhelminiana add: NFWP

MYOPORACEAE

Myoporum
M. montanum add: CWS

MYRTACEAE

Eucalyptus

add: *E. baxteri* (Benth.) Maiden & Blakely; SC;
VS; MOHCA
correct to: *E. caliginosa*

add: LOPHOSTEMON Schott
L. confertus (R. Br.) Peter G. Wilson &
Waterhouse; NC, †CC; Q
[*Tristania conferta* R. Br.]
L. suaveolens (Soland. ex Gaertn.) Peter G.
Wilson & Waterhouse; CC, CT
[*Melaleuca suaveolens* Soland. ex Gaertn.,
Tristania suaveolens (Soland. ex Gaertn.)
Sm.]

Melaleuca

delete: *M. halmaturorum*

Tristania

delete: *T. conferta*
delete: *T. laurina*
delete: *T. suaveolens*

add: TRISTANIOPSIS Brongn. & Gris.

T. collina Peter G. Wilson & Waterhouse; NC,
CC, SC, CT, ST; Q

T. laurina (Sm.) Peter G. Wilson &
Waterhouse; NC, CC, SC; QV
[*Melaleuca laurina* Sm., *Tristania laurina*
(Sm.) R. Br.]

OLEACEAE

Notélaea

N. microcarpa var. *microcarpa* add: ST

Olea

O. africana add: †CWS

ONAGRACEAE

Ludwigia

L. octovalvis add: SWP

OROBANCHACEAE

Orobanche

O. minor add: †SWP

OXALIDACEAE

Oxalis

O. articulata change distributions to: †NC,
†CC, †ST, †SWS; V; S Amer
O. bowiei add: †SWS; V; delete: SWP
O. brasiliensis add: †NC, †SWS
add: *O. chnoödes* Lourt.; NC, CC, SC; Q; NG

O. corniculata change distributions to: †CC,
SC; QVS; S Amer

delete: *O. corymbosa*

add: *O. debilis* Kunth
var. *corymbosa* (DC.) Lourt.; †LHI, CC, SC;
VS; S Amer

[*O. corymbosa* DC.]

add: *O. exilis* A. Cunn.; NC, CC, SC, NT, CT,
ST, CWS, SWS; QVT; NZ

O. incarnata delete: SC, SWS; add: CWS

add: **O. mallobolba* Cav.; †CWS; S Amer
add: *O. perennans* Haw.; NC, CC, CT, ST,
NWS, CWS, SWS, NWP, SWP NFWP,
SFWP; VS; S Afr

O. pes-caprae add: †NFWP, †SFWP

O. purpurea change distribution to: †CC, †CT,
†ST; VSW; S Afr

add: *O. radicans* A. Rieh.; LHI, NC, CC, SC,
NT, CT, ST, NWS, CWS, SWS, NWP;

QVS; Asia, Afr

add: *O. rubens* Haw.; LHI, NC, CC, SC;

QVTS; NZ

add: *O. sp.*; CC, CT, NWS; V; ?NZ

PASSIFLORACEAE

Passiflora

P. mollissima add: †CC

PITTOSPORACEAE

Bursaria

B. longisepala add: ST

PLANTAGINACEAE

Plantago

P. coronopus ssp. *coronopus* add: †CT

POLYGONACEAE

add: **FALLOPIA* Adans.

**F. convolvulus* (L.) A. Löve; †NC, †CC, †SC,
†NT, †CT, †ST, †NWS; †CWS, †SWS,
†NWP, †SWP; W; Eur, Asia, Afr, Amer
[*Polygonum convolvulus* L.]

add: *PERSICARIA* Mill.

P. attenuata (R. Br.) Soják; NC, NWP, SFWP;
QYSW

[*Polygonum attenuatum* R. Br.]

**P. capitata* (Hamilton ex D. Don) Gross; †NC,
†CC; Asia

[*Polygonum capitatum* Hamilton ex D. Don]

P. diehotoma (Blume) Masam.; NC; Q; Asia, S
Afr

[*Polygonum dichotomum* Blume]

P. elatior (R. Br.) Soják; NC, CC, SC; Q

[*Polygonum elatius* R. Br.]

P. hydropiper (L.) Spaeh; NC, CC, SC, NT,
CT, ST, NWS, CWS, SWS, SWP; QV;

Eur, Asia, Amer

[*Polygonum hydropiper* L.]

P. lapathifolia (L.) S. F. Gray; NC, CC, SC,
NT, CT, ST, NWS, CWS, SWS, NWP,
SWP, NFWP, SFWP; QVTYS; Eur, Asia,
Amer

[*Polygonum lapathifolium* L.]

P. orientalis (L.) Spaeh; NC, CC, SC, NWS,

- CWS, SWS, NWP, SWP; QY; India, Asia
[*Polygonum orientale* L.]
- **P. maeulata* (Rafin.) Löve & Löve; †SC, †CT,
†ST; VT; Eur
[*Polygonum persicaria* L.]
- P. prostrata* (R. Br.) Soják; CC, NT, CT, ST,
NWS, CWS, SWS, NWP, SWP;
QVTYSW; NZ
[*Polygonum prostratum* R. Br.]
- P. strigosa* (R. Br.) Gross; NC, CC, CT; Q;
India, China
[*Polygonum strigosum* R. Br.]
- P. sp. A*; NC, CC, SC, NT, CT, ST, NWS,
SWP; QVTYSW; NZ
[*Polygonum decipiens* R. Br.]
- P. sp. B*; NC, CC, SC, NT, CT, ST, SWS; VT;
India
[*Polygonum praetermissum* Hook. f.]
- P. sp. C*; NC, CC, SC; QVTW; N Caled
[*Polygonum subsessile* R. Br., *Polygonum minus* ssp. *subsessile* (R. Br.) Danser]
- Polygonum*
delete: *P. attenuatum*
delete: *P. capitatum*
delete: *P. convolvulus*
delete: *P. cuspidatum*
delete: *P. decipiens*
delete: *P. dichotomum*
delete: *P. elatius*
delete: *P. hydropiper*
delete: *P. lapathifolium*
delete: *P. orientale*
add: **P. patulum* Bieb.; †NWS, †CWS, †SFWP;
VS; Eur
delete: *P. persicaria*
P. plebeium add: CWS
delete: *P. praetermissum*
delete: *P. prostratum*
delete: *P. sachalinense*
delete: *P. strigosum*
delete: *P. subsessile*
add: *REYNOUTRIA Houtt.
**R. japonica* Houtt.; †SWS; Japan
[*Polygonum cuspidatum* Siebold & Zucc.]
- **R. saehalinensis* (F. Schmidt) Nakai; †CT;
V; Asia, Eur
[*Polygonum sachalinense* F. Schmidt]
- PORFULACACEAE**
Calandrinia
add: *C. granulifera* Benth.; SWS, SWP; VV
[*C. neesiana* Hj. Eichler, *C. pygmaea* F.
Muell.]
delete: *C. neesiana*
- PRIMULACEAE**
Lysimachia
L. vulgaris var. *davurica*
correct author to: (Ledebour) R. Knuth
- PROTEACEAE**
Banksia
add: *B. aemula* R. Br.; NC, CC, Q
[*B. serratifolia* Salisb.]
delete: *B. aspleniiifolia*
add: *B. conferta* A. S. George var. *penicillata*
A. S. George; CT
- B. marginata* add: SWP
add: *B. oblongifolia* Cav.; NC, CC; Q
[*B. aspleniiifolia* Salisb., *B. robur* var. *minor*
Maiden & Camfield]
- delete: *B. serratifolia*
Grevillea
add: *G. sp. aff. aspleniiifolia*; NT
add: *G. sp. aff. miquelianana*; NT; Q
- RANUNCULACEAE**
Clematis
C. fawcettii delete: NT
- RHAMNACEAE**
Pomaderris
P. discolor add: SC
P. eriocephala add: SC
P. prunifolia add: CWS
- RUBIACEAE**
Asperula
A. *scoparia* delete: var. *scoparia*, var. *ulicina*;
add to synonymy: *A. scoparia* var. *ulicina*
Airy Shaw & Turrill
- Richardia*
add: **R. seabra* L.; †NC; Amer, Afr
- RUTACEAE**
Acronychia
add: *A. sp.*; NC
- Boronia*
B. barkeriana delete: NC
B. ledifolia add: ST
B. parviflora add: NC
B. repandra correct to: *repanda*
B. thujona add: NC
- Eriostemon*
E. trachyphyllus add: CWS
- SAPOTACEAE**
Amorphospermum
add: *A. whitei* Aubr.; NC; Q
- Niemeyera*
delete: *N. prunifera*
- SCROPHULARIACEAE**
Bacopa
add: **B. amplexicaulis* (Pursh) Wattst.; †NC;
Amer
- Buchnera*
B. gracilis add: NWS
delete: *B. urticifolia*
- Kickxia*
K. sieberi add: †NWP, †NFWP
- Linaria*
L. arvensis add: SWP
delete: *L. dalmatica*
L. genistifolia change to:
L. genistifolia ssp. *genistifolia*
add: ssp. *dalmatica* (L.) Maire & Petitmergin;
†NT, †CWS, †SWP; Eur
[*L. dalmatica* (L.) Miller]
L. pelisseriana add: †NWS, †SWP
- Veronica*
V. persica add: CWS
- SOLANACEAE**
delete: *Antocercis*
- Capsicum*
add: **C. annuum* L. var. *glabriuseulum* (Dunal)
Heiser & Priekersgill; †NWS; QY; Mexieo

- add:** CYPHANTHERA Miers
C. anthocercidea (F. Muell.) Haegi; ?CC; V
 [Anthocercis frondosa (Miers) J. M. Black, *A. eadesii* F. Muell.]
C. albicans (A. Cunn.) Miers
 [Anthocercis albicans A. Cunn.]
ssp. albicans; CC, NT, CT, ST, CWS; QV
 [C. ovalifolia Miers]
ssp. tomentosa (Benth.) Haegi; CWS, SWS,
 NWP, SWP
 [Anthocercis albicans var. tomentosa Benth.]
ssp. notabilis Haegi; NWS
 [Anthocercis albicans sensu Maiden &
 Betche]
C. scabrella (Benth.) Miers; CC, CT
 [Anthocercis scabrella Benth.]
- Physalis**
delete: *P. angulata*
add: **P. ixocarpa* Brot. ex Hornem.; †LHI,
 †NC, †CC, †NT, †NWS, †CWS, †NWP;
 Q; Amer
add: **P. lanceifolia* Nees; †NWP; Q; Amer
delete: *P. longifolia* – leave as *P. minima*
P. virginiana delete; f. macrophysa; add: var.
 sonorae (Torrey) Waterfall; †NWS,
 †CWS, †SWP; Q; N Amer
add: **P. viscosa* L.; †SWS, †SWP; QVSW;
 Amer
- Solanum**
S. linearifolium add: NT
S. rostratum add: †NC
- STERCULIACEAE**
Rulingia
add: *R. dasypylla* (Andr.) Sweet; NC, CC, SC,
 NT, CT, NWS, CWS; QV
 [*R. pannosa* R. Br.]
delete: *R. pannosa*
- THYMELAEACEAE**
Pimelea
P. axiflora
replace ssp. A by: ssp. *axiflora*
replace ssp. B by: ssp. *alpina* (F. Muell. ex
 Benth.) Threlfall
add: *P. hracteata* Threlfall; ST
 [*P. ligustrina* var. *glabra* Maiden & Betche,
 P. sp. B sensu Jacobs & Pickard]
P. curviflora
replace ssp. A by: ssp. *curviflora*
replace ssp. B by: ssp. *micantha* (F. Muell. ex
 Meisn.) Threlfall
replace ssp. C by: ssp. *gracilis* (R. Br.) Threlfall
 [*P. gracilis* R. Br.]
replace var. A by: var. *gracilis*
replace var. B by: var. *sericea* Benth.
replace var. C by: var. *divergens* Threlfall
replace var. D by: var. *subglabra* Threlfall
replace var. E by: var. *acuta* Threlfall
add: *P. elongata* Threlfall; NWP; QS
P. flava
replace ssp. B by: ssp. *dichotoma* (Schlecht.)
 Threlfall
- P. latifolia**
replace ssp. A hy: ssp. *latifolia*
replace ssp. B by: ssp. *altior* (F. Muell.)
 Threlfall
 [P. *altior* F. Muell., *P. altior* var. *typica*
 Domin]
replace var. A by: var. *altior*
replace var. B by: var. *parvifolia* Domin
replace ssp. C by: ssp. *hirsuta* (Meisn.)
 Threlfall
replace ssp. D by: ssp. *elliptifolia* Threlfall
P. ligustrina
replace ssp. A by: ssp. *ligustrina*
 [P. *elata* F. Muell. ex Meisn.]
replace ssp. B by: ssp. *ciliata* Threlfall
replace ssp. C by: ssp. *hypericina* (A. Cunn. ex
 Hook.) Threlfall
P. linifolia
replace ssp. A by: ssp. *linifolia*
replace ssp. B by: ssp. *collina* (R. Br.) Threlfall
replace ssp. C by: ssp. *linoides* (A. Cunn.)
 Threlfall
replace ssp. D by: ssp. *caesia* Threlfall
P. microcephala
replace ssp. A by: ssp. *microcephala*
add: P. neo-anglica Threlfall; NT, NWS; Q
 [P. sp. C sensu Jacobs & Pickard]
P. octophylla
replace ssp. B by: ssp. *ciliolaris* Threlfall
P. simplex
replace ssp. A by: ssp. *simplex*
replace ssp. B by: ssp. *continua* (J. M. Black)
 Threlfall
add: *P. venosa* Threlfall; NT, NWS
delete: species A to D
- URTICACEAE**
add: AUSTRALINA Gaudich.
A. pusilla Gaudich.; NC, SC, NT, CT, ST; VT
 [A. muelleri Wedd.]
- VERBENACEAE**
Phyla
P. nodiflora add: †CWS
- VISCACEAE**
Korthalsella
delete: *K. japonica*
add: *K. rubra* (Tiegh.) Endl.
 ssp. *rubra*; LHI, NC, CC, SC, NT, CT, ST;
 QV; NG
 [*K. howensis* (Tiegh.) Endl., *K. opuntia* auct.
 non (Thunb.) Merr., *K. japonica* auct. non
 (Thunb.) Engl., *K. brassiana* auct. non
 Blakely]
 ssp. *geijerica* Barlow; NWS, CWS, SWS,
 NWP, SWP; Q
- WINTERACEAE**
Tasmannia
T. insipida correct synonym to: *T. dipetala*
T. lanceolata add: SC; delete: NT
T. xerophila delete: NC, NT

Manuscript received 16.3.1983